



## Product certificate K6030/25

Issued 2021-03-15

Replaces K6030/24

Page 1 of 5

### WC-pans

#### STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

### Geberit International AG

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K619 "WC-pans" dated 15-09-2019,

which covers the requirements of

EN 997:2018 "WC pans with integral trap".

Ron Scheepers  
Kiwa

*Publication of this certificate is allowed.*

*Advice: consult [www.kiwa.nl](http://www.kiwa.nl) in order to ensure that this certificate is still valid.*

CERTIFICATE

28917015

#### Kiwa Nederland B.V.

Sir Winston Churchillaan 273  
Postbus 70  
2280 AB RIJSWIJK  
The Netherlands  
Tel. +31 88 998 44 00  
Fax +31 88 998 44 20  
[info@kiwa.nl](mailto:info@kiwa.nl)  
[www.kiwa.nl](http://www.kiwa.nl)

#### Company

Geberit International AG  
Schachenstrasse 77  
CH-8645 JONA  
Switzerland  
Tel. +41 (0) 43 351 12 36  
Fax +41 (0) 55 221 6747  
[Info.nl@geberit.com](mailto:Info.nl@geberit.com)  
[www.geberit.com](http://www.geberit.com)

Geberit B.V.  
Fultonbaan 15  
3439 NE NIEUWEGEIN  
The Netherlands  
Tel. (+31) 030-6057734  
[info.nl@geberit.com](mailto:info.nl@geberit.com)

Certification process  
consists of initial and  
regular assessment of:

- quality system
- product

## WC-pans

**Technical specification**

The products mentioned below belong to this certificate.

The types mentioned are for application as class 1 products and they are intended for connection with a (concealed)cistern

If not otherwise mentioned the products are intended for use at a nominal flush volume of 6 litres.

**(a) Pedestal WC-pans 6 litres**

Sphinx 280 Comfort, model no. 73  
WC-pan wash out design, with concealed vertical outlet type  
AO; code S80026 (raised model, + 6 cm)

Sphinx 280 Comfort, model no. 73  
WC-pan wash out design, with exposed horizontal outlet type  
UP, code S80027 (raised model, + 6 cm)

Sphinx 280, model no. 95  
WC-pan wash out design, with concealed vertical outlet type  
AO, code S80028

Sphinx 280, model no. 95  
WC-pan wash out design, with exposed horizontal outlet type  
UP; code S80029

Sphinx 300 Comfort, model no. 93  
WC-pan wash out design, with exposed horizontal outlet type  
UP, code S80006 (raised model, + 6 cm)

Sphinx 300 Comfort, model no. 84  
WC-pan wash out design, with concealed vertical outlet type  
AO, code S80009 (raised model, + 10 cm)

Sphinx 300 Comfort, model no. 93  
WC-pan wash out design, with vertical outlet type AO, code  
S80007 (raised model, + 6 cm)

Sphinx 300 Comfort, model no. 84  
WC-pan wash out design, with exposed horizontal outlet type  
UP, code S80008 (raised model, + 10 cm)

Sphinx 300, model no. 94  
WC-pan wash down design, with concealed vertical outlet type  
USV, code S80005

Sphinx 300, model no. 94  
WC-pan wash down design, with exposed horizontal outlet  
type UP, code S80003

Sphinx 300, model no. 96  
WC-pan wash out design, with concealed vertical outlet type  
type AO, code 80001

Sphinx 300, model no. 96  
WC-pan wash out design, with exposed horizontal outlet type  
UP, code 80002

Sphinx 300 Comfort, model no. 43  
WC-pan wash down design, with concealed vertical outlet type  
USV, code S8029 (raised model, + 4 cm)

Sphinx 300 Kids, model no. 18  
WC-pan wash down design, with concealed vertical outlet type  
USV, code S8016; (children- WC-pan); with matching lavatory  
seat code H5KO

Geberit Renova Rimfree, code 500.480.01.2  
WC-pan wash down design, with exposed horizontal outlet  
type UP

Geberit Renova Rimfree Kera Tect code 500.480.01.8  
WC-pan wash down design, with exposed horizontal outlet  
type UP

**(b) Wall-hung WC-pans 6 litres**

Sphinx 280  
WC-pans wash down design, code S82402 (extended model  
70 cm)

Sphinx 300, model no. 48  
WC-pan wash down design, code S82029  
(compact model, 48 cm)

Sphinx 300 model no. 22  
WC-pan wash down design, code 82001

Sphinx 300, model no. 48  
WC-pan wash out design, code S82009 (compact model, 48  
cm)

Sphinx 300, model no.12  
WC-pan wash out design, code S82002

Sphinx 355  
WC-pan wash down design, code S8232; also delivered as  
Easy 390, no. 42315 / 42316

Sphinx 300 Rimfree  
WC-pan wash down design, code S82038; also delivered as  
Keramag Renova Nr.1 Rimfree (203050)  
Pozzi-Ginori Mage wall-hung rimfree (35355 000); Allia Prima /  
Royan rimfree (003983); Twyford Galerie rimfree (GN1798WH)  
Ceravid Derby and K Classic (9030 en C0202)

Sphinx 345 Rimfree  
WC-pan wash down design, code S82037; also delivered as  
Keramag 4U and iCon Rimfree (203460); Ifö 4U Rimfree  
(3575000/8 09); Pozzi-Ginori Fast wall-hung Rimfree  
(78355/6 000); Allia Lovely Rimfree (003996) en Twyford 3D  
Rimfree (3D1798WH)

WC-pans

---

## Sphinx Comfort 300

WC-pan wash down design, code S82012 (raised model, + 5 cm); also delivered as Keramag Plus4 (202010)

## Sphinx 320 Rimfree

WC-pan wash down design, code S82406; also delivered as Keramag Renova Plan rimfree (202170)

## Sphinx 335 Rimfree

WC-pan wash down design, code S82408; delivered with matching lavatory seat S8H513; also delivered as Kolo Traffic (L93120); Ifö Grandy (RP213100200)

## Sphinx 345

WC-pan wash down design, code S82027

## Sphinx 450

WC-pan wash down design, code S8247

## Sphinx 355 Rimfree

WC-pan wash down design, code S8233000000

## Geberit Renova Comfort Rimfree, code 500.694.01.1

WC-pan wash down design

## Geberit Renova Comfort Rimfree Kera Tect, code

500.694.01.8

WC-pan wash down design

## Geberit Renova Compact Rimfree, code 500.377.01.1

WC-pan wash down design

Geberit Renova Compact Rimfree code 500.803.00.1 WC-pan wash down design. Delivered with matching Lavatory seat 500.836.01.1

Geberit iCon with product code no. 501.661.00.1; delivered as KeraTect glaze (article code 501.661.00.8) and wc-pack (set code 501.663.00.1, 501.664.00.1 and 501.664.00.8); with lavatory seat code 501.666.01.1

**Wall-hung WC-pan with a nominal flush volume of 5 and 6 litres**

## Sphinx 280 Rimfree

WC-pan wash down design, code S82546

## Sphinx 300 Rimfree

WC-pan wash down design, code S82547; wandcloset 28

## Sphinx 320xs

WC-pan wash down design, code S82043 (compact model, 48 cm); also delivered as Keramag Renova Plan Comprimo (206145)

## Sphinx 310

WC-pan wash down design, code S82403; delivered with suitable fixing means and matching lavatory seat S8H514

## Sphinx 330

WC-pan wash down design, code S82015; delivered with matching lavatory seat S8H513

## Sphinx 340

WC-pan wash down design, code S8204

## Sphinx 420

WC-pan wash down design, code S8250; also delivered as Quattro with brand name Kolo

## Sphinx 300 Rimfree extended

WC-pan wash down design, code S8203605

## Geberit Smyle Rimfree

WC-pan wash down design, code 500.208.01.1

## Geberit Renova Comfort Rimfree extended, code 500.693.01.1

WC-pan wash down design ( extended model 70 cm )

## Geberit Renova Comfort Rimfree extended Kera Tect, code

500.693.01.8 WC-pan wash down design ( extended model 70 cm )

## Geberit Renova Compact Rimfree Kera Tect, code

500.377.01.8 WC-pan wash down design

## Geberit Smyle Square rimfree, code 500.379.01.1

WC-pan wash down design

## Geberit Smyle Square rimfree, code 500.379.8

WC-pan with wash down design and with Kera tect glaze

## Geberit Smyle Square rimfree code 500.815.00.1

WC-pack set, delivered with lavatory seat code 500.687.01.1

## Sphinx Acanto

WC-pan wash down desing, code 500.600.01.4

## Sphinx 300 Rimfree

WC-pan wash down design, code S82405 (extended model 70 cm); delivered with matching lavatory seat S8H513 and installation means; also delivered as brand name Keramag Renova, Ausl. 700 mm (208570); Kolo Nova Pro rimfree (M33520000)

## Sphinx 320

WC-pan wash down design, code S82035; also delivered as Keramag Renova Plan (202150)

## WC-pans

---

Geberit Renova wc-pack 500.802.00.1  
WC-pan wash down design.  
Delivered with matching Lavatory seat 573010000

Geberit Renova code 203040000  
WC-pan wash down design

Geberit Renova Compact code 203245000  
WC-pan wash down design

Sphinx 365  
WC-pan wash down design, code S82041; delivered with  
suitable fixing means; also delivered as Keramag iT! (201900)

Sphinx 345xs Rimfree  
WC-pan wash down design, code S82407 (compact model);  
delivered with matching lavatory seat S8H509; also delivered  
as Keramag iCon XS rimfree (204070)

Sphinx 420 Rimfree  
WC-pan wash down design, code S82044; delivered suitable  
fixing means and matching lavatory seat S8H513

Sphinx WCL 280 rimfree  
WC-pan rimfree wash down design, code: S8254600000

Geberit Renova wc-pack 500.804.1  
WC-pan wash down design. Delivered with matching Lavatory seat  
573015000

Geberit Renova Compact code 203245600 with KeraTect  
glaze wash down design

Geberit Renova code 203040600 with KeraTect glaze  
WC-pan wash down design.

Sphinx 345xs  
WC-pan wash down design, code S82031 (compact model, 49  
cm); delivered with suitable fixing means; also delivered as  
Keramag iCON xs (204030)

Sphinx 365 Rimfree  
WC-pan wash down design, code S82042; delivered with  
suitable fixing means and matching lavatory seat S8H513; also  
delivered as Keramag iT! (201950); Kolo Life! (99327 and  
99343); IDO / Porsgrund (7615 / 7815); Pozzi-Ginori Metrica  
(79355/6 000); Allia Arum (083938)

Sphinx 300 Rimfree  
WC-pan wash down design, code S82405 (extended model,  
70 cm); delivered with suitable fixing means and matching  
lavatory seat S8H513; also delivered as Keramag Renova,  
Ausl. 700 mm (208570); Kolo Nova Pro rimfree (M33520000)

## WC-pans

---

### Application and use

The WC-pans delivered under this certificate in combination with flushing cisterns and/or pressure flush valves are intended for use as sanitary appliances, connected to drinking water installations with a water temperature of 30 °C maximum.

### Marking

The Kiwa®-mark products are marked with the word mark "KIWA"

On the WC-pan this word mark can be followed by

- the number 6, 7.5 or 9, indicating the flushing volume;
- the letter A and or C which indicates the type of flushing device to be connected:
  - A intended for connection with a cistern (or concealed cistern)
  - C intended for connection with a pressure flush valve.

Product(s) with a nominal flush volume of 4 and / or 5 litres are entitled to be marked with only word mark Kiwa.

Place of the mark:

- on the WC-pans between the attachment holes of the lavatory seat
- on one of the sides of the flushing rim
- under the rim of the WC-pan

Compulsory specifications:

name or mark of the manufacturer

- on the WC-pans
- additional marking or labelling as specified in the European Standard EN997.

Method of marking:

- non-erasable;
- visible after assembly.

The WC-pan is marked as follows:

"KIWA-6-A "

By this marking it is given that the WC-pan is Kiwa certified and intended for connection to a (concealed) flushing cistern. The minimum water volume required to perform a full flush amounts  $6 \pm 0.2$  litres.

### RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Geberit International AG
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.