



## Product certificate K6116/08

Issued 2020-08-01

Replaces K6116/07

Page 1 of 3

### Sanitary tapware; Mechanical mixers

#### STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

### Hansa Armaturen GmbH

as specified in this product certificate and marked with the Kiwa<sup>®</sup>-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K607 "Sanitary tapware; Mechanical mixers" dated 01-02-2012,

which covers the requirements of

EN 817: 2008 'Sanitary tapware - Mechanical mixers (PN10) - General technical specifications'.

Ron Scheepers  
Kiwa

*Publication of this certificate is allowed.*

*Advice: consult [www.kiwa.nl](http://www.kiwa.nl) in order to ensure that this certificate is still valid.*

CERTIFICATE

289171015

#### Kiwa Nederland B.V.

Sir Winston Churchillaan 273

Postbus 70

2280 AB RIJSWIJK

The Netherlands

Tel. +31 88 998 44 00

Fax +31 88 998 44 20

[info@kiwa.nl](mailto:info@kiwa.nl)

[www.kiwa.nl](http://www.kiwa.nl)

#### Company

Hansa Armaturen GmbH

Sigmaringer Strasse 107

D-70567 Stuttgart

Germany

Tel. (+49) 7111614196

Fax (+49) 711161490196

Oras Ltd.

P.O. Box 40

SF-26101 Rauma

Finland

Tel. (+358) 2 831 61

Fax (+358) 2 831 6200

Certification process  
consists of initial and  
regular assessment of:

- quality system
- product

## Sanitary tapware; Mechanical mixers

## Technical specification

The products in the table below belong to this certificate.

<b>Hansapico</b>		<b>Hansaronda</b>		<b>Hansaprimo</b>	
4604	Wash basin mixer	0306	Bidet mixer	4940	Wash basin mixer
4605	Wash basin mixer	0309	Wash basin mixer	4942	Wash basin mixer
4606	Wash basin mixer	0314	Sink mixer	4943	Bidet mixer
4607	Bidet mixer	0334	Sink mixer	4944	Bath / shower mixer
4611	Bath / shower mixer	0338	Sink mixer	4945	Shower mixer
4612	Shower mixer	0367	Shower mixer		
		0374	Bath mixer		
<b>Hansamix</b>				<b>Hansapolo</b>	
0104	Wash basin mixer			5140	Wash basin mixer
0106	Bidet mixer			5141	Wash basin mixer
0108	Wash basin mixer			5142	Wash basin mixer
0109	Wash basin mixer			5143	Bidet mixer
0110	Wash basin mixer			5144	Bath / Shower mixer
0114	Sink mixer			5145	Shower mixer
0116	Shower mixer			5148	Sink mixer
0118	Wash basin mixer				
0119	Wash basin mixer			<b>Hansavantis</b>	
0126	Wash basin mixer			5237	Wash basin mixer
0167	Shower mixer			5240	Wash basin mixer
0169	Sink mixer			5241	Wash basin mixer
0174	Bath mixer			5242	Wash basin mixer
0194	Wash basin mixer			5243	Bidet mixer
0196	Wash basin mixer			5244	Bath / Shower mixer
				5245	Shower mixer
				5248	Sink mixer
				5256	Sink mixer
				<b>Hansaclinica</b>	
				0154 6286	Wash basin mixer
				0154 6283	Wash basin mixer
				0152 6283	Wash basin mixer
				0152 6286	Wash basin mixer
				0153 6283	Wash basin mixer
				0153 6286	Wash basin mixer
				4501 2183	Wash basin mixer
				4501 2186	Wash basin mixer
				4502 2183	Wash basin mixer
				4502 2186	Wash basin mixer

## Sanitary tapware; Mechanical mixers

---

### REMARK

The specified products were not yet assessed for compliance with all hygienic aspects as inserted in the "Drinkwaterbesluit" (Drinking Water Decree) and outlined in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" (Regulation for Materials and chemical in drinking and warm tap water supply), implemented 19 July 2011, as specified in clause 4.2 of the Kiwa guideline BRL-K607.

### Application and use

The sanitary tapware "mechanical mixers" are intended for application in drinking water installations with a static water pressure of maximum 1000 kPa and a maximum water temperature of 90°C.

The recommended limits for correct operation are a dynamic pressure between 100 kPa and 500 kPa and a water temperature of maximum 65°C.

### Marking

The Kiwa®-mark products are marked with the wordmark "KIWA".

Place of the mark:

- "KIWA" on the body of the mixers.

Compulsory specifications:

- name or mark of manufacturer, on the body;
- indication of temperature, on the handle;
- identification of the acoustic group, if classified, on the body;
- identification of the flow resistance class, on the body.

Method of marking:

- non-erasable;
- visible after assembly.

### RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Hansa Armaturen GmbH
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.