



Product certificate K6290/19

Issued 2021-09-15

Replaces K6290/18

Page 1 of 3

WC-pans

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Vitra Eczacibasi Yapı Gereçleri San Ticaret A.S. 'Bozüyük Plant'

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with

Kiwa evaluation guideline BRL-619 "WC-pans" dated 15-09-2019.

Which covers the requirements of

EN 997: 2012 + A1: 2015 "WC-pans and WC suites with integral trap".

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

CERTIFICATE

28/17/015

Kiwa Nederland B.V.

Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
NL.Kiwa.info@Kiwa.com
www.kiwa.nl

Company

Vitra Eczacibasi Yapı Gereçleri San
Ticaret A.S. 'Bozüyük Plant'
Eskisehir Yolu 4.KM
11300 BOZUYUK / BILECIK
Turkey
Tel. (+90) 216 389 59 00 / 296
www.eczacibasi.com.tr

Certification process
consists of initial and
regular assessment of:

- quality system
- product



WC-pans

Technical specification

The products mentioned below belong to this certificate
 Unless otherwise mentioned the products specified are:

- Classified as Class 1 products.
- The products mentioned are approved at a nominal flush of 6 litres.

The products indicated with ¹⁾ are in accordance with the Kiwa Evaluation guideline BRL-K14011.

Wall-hung WC-pans

1. model no. 6855

wash-down WC-pan with outlet type UP (universal P-trap) delivered as brand name / logo: Normus

4. model no. 4448

wash-down WC-pan with outlet type UP (universal P-trap) delivered as brand name / logo: VT Sento

6. model Shift no. 4379*

wash-down WC-pan with outlet type UP (universal P-trap)

9. model SENTO no. 4337*

wash-down WC-pan with outlet type UP (universal P-trap);

11. model MILINE no. 5671*

wash-down WC-pan with outlet type UP (universal P-trap);

13. model no. 7741*

Wash-down WC- pan with outlet type UP (universal P-trap);

2. model no. S50 5318*

wash-down WC-pan with outlet type UP (universal P-trap); delivered as brand name / logo: S50 5318

5. model RIMEX no. 7747*

wash-down WC-pan with outlet type UP (universal P-trap);

8. model MLINE no. 5676*

wash-down WC-pan with outlet type UP (universal P-trap);

10. model S50 no. 5320*

wash-down WC-pan with outlet type UP (universal P-trap);

12. model no. 7748*

Wash-down WC- pan with outlet type UP (universal P-trap);

14. model RIMEX no. 7740*

Wash-down WC- pan with outlet type UP (universal P-trap);

Pedestal WC-pans

1. model no. 6888

wash-out WC-pan with outlet type UP (universal P-trap) delivered as brand name / logo: Normus

2. model no. 6860

wash-out WC-pan, type AO

Shower WC systems ¹⁾

Model Vitra V-Care

Wall-hung ceramic WC bowl with horizontal outlet UP; built in toilet shower; boiler; warm air dryer and a lavatory seat included with cover and installation parts. Is incorporated with a built in safety device by means of backflow type AB and at connection point a check valve code EA. Supplied under the following types:

V-Care 1.0

5674B003-6103

5674B403-6103

5674B003-6104

5674B403-6104

V-Care 1.1

5674B003-6193

5674B403-6193

5674B403-6194

5674B403-6194

Vitra V-Care Basic

WC ceramic with standard surface – WH

WC ceramic with V-Clean surface – WH

WC ceramic with standard surface – WH

WC ceramic with V-Clean surface – WH

7231B003-6216

7231B403-6216

7232B003-6217

7232B403-6217

WC ceramic with standard surface – WH

WC ceramic with V-Clean surface – WH

WC ceramic with standard surface – BTW – floor standing

WC ceramic with V-Clean surface – BTW – floor standing

WC-pans

Application and use

The WC-pans delivered under this certificate in combination with flushing cisterns and/or pressure flush valves are intended for use as sanitary appliances, connected to drinking water installations with a water temperature of 30 °C maximum.

MARKING

The Kiwa®-mark products are marked with the word mark "KIWA". On the WC-pan this word mark shall be followed by

- the number 6, 7.5 or 9, indicating the flushing volume;
For WC-pans approved at a nominal flush of 4 or/and 5 litres, only the wordmark "Kiwa" is permitted.
- the letter A and or C which indicates the type of flushing device to be connected:
 - **A** intended for connection with a cistern (or concealed cistern).
 - **C** intended for connection with a pressure flush valve.

The WC-pan is marked as follows:

"KIWA-6-A "

By this marking it is given that the WC-pan is Kiwa certified and intended for connection to a (concealed) flushing cistern. The minimum water volume required to perform a full flush amounts 6 ± 0.2 litres.

Place of the mark:

- on the WC-pans between the attachment holes of the lavatory seat or on one of the sides of the flushing rim.

Compulsory specifications:

name or mark of the manufacturer

- on the WC-pans between the attachment holes of the lavatory seat or on one of the sides of the flushing rim;
- additional markings as specified in the European Standard EN997.

Method of marking:

- non-erasable;
- visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Vitra Eczacibasi Yapi Gerecleri San Ticaret A.S. 'Bozüyük Plant'
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.