



2019-09-05



Replaces K6317/08

Page 1 of 3

Issued



Sanitary tapware; Mechanical mixers

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Paini Rubinetterie S.p.A.

as specified in this product certificate and marked with the Kiwa ®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline **BRL-K607** "Sanitary tapware: Mechanical mixers" dated 10-10-2018,

which covers the requirements of

EN 817:2008 "Sanitary tapware; Mechanical mixing valves".

Ronald Karel

Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

Kiwa Nederland B.V.

Sir Winston Churchilllaan 273

Postbus 70

2280 AB RIJSWIJK

The Netherlands

Tel. +31 88 998 44 00

Fax +31 88 998 44 20

info@kiwa.nl

www.kiwa.nl

Company

Paini Rubinetterie S.p.A.

Via Cremosina 43

28076 POGNO

Italy

Tel. +39 0322 997100

www.paini.com

Certification process consists of initial and regular assessment of:

- quality system
- product

page 2 of 3

Sanitary tapware; Mechanical mixers

Technical specifications

The products mentioned below belong to this certificate:

0 : 40514		0 : 000055				
Series ARENA:		Series COOPER				
111	bath/shower mixer	111		bath/shower mixer		
211	wash basin mixer	211		vash basin mixer		
211LL	wash basin mixer, tall version	501		itchen mixer		
306	bidet mixer	511		shower mixer		
511	shower mixer	573	kitcher	kitchen mixer		
557	kitchen mixer					
568	kitchen mixer					
572	kitchen mixer					
573	kitchen mixer					
579	kitchen mixer					
series COX:		Others:				
109	bath/shower mixer	USCR566	κV	V 41	kitchen mixer	
111	bath/shower mixer	20 583		V 05	kitchen mixer "Atomix"	
208	bath mixer	38 573		V 05	kitchen mixer "Magnum"	
211	wash basin mixer	64 588		V 00 V 07	kitchen mixer "Barocco"	
211LL		67 573			kitchen mixer "Atomix 2000"	
	wash basin mixer, tall version	07 573	۲V	80 V	kitchen mixer Atomix 2000	
306	bidet mixer	UZ 557	1.24			
509	shower mixer	IK-557	KILO	cnen mi	xer, with pull-out hand spray	
511	shower mixer		kitahan miyar ayıll ayıt saray			
557	kitchen mixer			itchen mixer, pull-out spray		
558	kitchen mixer	MR**579	Kito	chen mi	xer	
568	kitchen mixer					
572	kitchen mixer	1FCR111DVK4		bath/shower mixer		
573	kitchen mixer	1FCR511DVK4		shower mixer		
579	kitchen mixer	1FCR205DVK4		basin mixer		
		1FCR211DVK4		basin mixer		
		1FCR205MEDVK4		basin mixer		
		1FCR211MEDVK4		basin mixer		
		1FCR306DKDVK4		bidet mixer		
		1DCR511DVK4		shower mixer		
		1DCR111DVK4		bath/shower mixer		
		1DCR306DKDVK4		bidet mixer		
		1DCR205DVK4		basin mixer		
		1DCR211DVK4		basin mixer		
				basin mixer		
				basin mixer		
				shower mixer		
				bath/shower mixer		
		3BCR211DVK4		basin mixer		
				basin mixer		
				basin mixer		
					basin mixer	
					asin mixer asin mixer	
		3BCR205LLBLD	, ∧ L/ -1			
		3BCK300DVK4		bidet r	HINGI	

Sanitary tapware; Mechanical mixers

Remark

The specified products were not yet assessed for compliance with all hygienic aspects as inserted in the "Drinkwaterbesluit" (Drinking Water Decree) and outlined in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" (Regulation for Materials and chemical in drinking and warm tap water supply), as specified in clause 4.2 of the Kiwa guideline BRL-K607/05.

Application and use

Sanitary tapware: mechanical mixers are designed for application within the following limits of use:

- working pressure from 50 kPa up to 1000 kPa;
- water temperature of maximum 90°C.

The recommended limits for correct operation are:

• working pressure of 100 kPa up to 500 kPa; water temperature of maximum 65°C.

Marking

The Kiwa®-mark products are marked with the word mark "KIWA". Place of the mark: on the body.

Compulsory specifications:

- name or mark of manufacturer, on the body;
- indication of temperature, on the handle;
- identification of the acoustic group, if classified, on the body;
- identification of the flow resistance class, on the body.

Method of marking:

- · non-erasable:
- · visible after assembly.

Recommendations for customers

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Paini Rubinetterie S.p.A.
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.