



**KOMO®**  
**Product certificate**  
**K10431/06**



Issued	2020-09-01	Replaces	K10431/05
Valid until	Indefinite	Dated	2019-05-01
Page	1 of 3		

**3 layer PVC pipes for sewerage inside buildings**  
**Dyka B.V.**

**STATEMENT BY KIWA**

This product certificate is based on Guideline/BRL 2023 " Pipes and fittings with structured smooth wall for soil and waste discharge inside buildings – Type A: PVC-U, PP " dated 9 January 2017, issued according to the Kiwa-Regulation for Certification.

The quality system and the product characteristics of this product are checked periodically. Based on this, **Kiwa declares that there is legitimate confidence that:**

On this basis Kiwa declares that a justified confidence exists, that the 3 Layer PVC pipes for sewerage inside buildings delivered by the certificate holder at delivery fulfil:

- the technical specification laid down in this product certificate,
  - the product requirements as laid down in this product certificate and in the BRL.
- provided that 3 Layer PVC pipes for sewerage inside buildings have been marked with the KOMO®-mark in a manner as indicated in this product certificate.

Ron Scheepers  
 Kiwa

*This product certificate is also included on the KOMO foundation websites: [www.komo.nl](http://www.komo.nl) and [www.komo-online.nl](http://www.komo-online.nl).  
 Users of this product certificate is advised to check whether it is still valid. For this purpose consult the website of Kiwa: [www.kiwa.nl](http://www.kiwa.nl).*

**Kiwa Nederland B.V.**  
 Sir Winston Churchilllaan 273  
 Postbus 70  
 2280 AB RIJSWIJK  
 The Netherlands  
 Tel. +31 88 998 44 00  
 Fax +31 88 998 44 20  
[info@kiwa.nl](mailto:info@kiwa.nl)  
[www.kiwa.nl](http://www.kiwa.nl)

**Certificate holder**  
 Dyka B.V.  
 Produktieweg 7  
 8331 LJ STEENWIJK  
 Postbus 33  
 8330 AA STEENWIJK  
 Tel. +31 (0)521-534911  
 Fax +31 (0)521-534371  
[info@dyka.nl](mailto:info@dyka.nl)  
[www.dyka.nl](http://www.dyka.nl)

**Production Location**  
 Dyka SAS  
 Rue de Brévillers 25  
 62140 SAINTE-  
 AUSTREBERTHE  
 France  
 Tel. +33 (0)321 86 59 00  
 Fax +33 (0)321 86 59 01



**Assessed is:**

- Quality system
- Product

Periodic control

3 layer PVC pipes for sewerage inside buildings

**PRODUCT SPECIFICATION**

3 Layer Pipes of PVC-U for soil and waste discharge inside buildings in accordance with BRL 2023.

The products in the table below are part of this product certificate.

**Table 1**

Outside diameter (mm)	Dyka B.V.		Dyka SAS	
	SN8	SN4	SN8	SN4
40		X		
50		X		
75		X		
90		X		
110	X	X	X	X
125	X	X	X	X
160	X	X	X	X

**Colour:** red-brown and grey.


**MARKING**

The products shall be marked with the KOMO®-mark.

The realization of the marks is as follows: clear, durable and indelible.

Location of the marks: on every pipe at intervals of not more than 2 m.

The pipes shall be marked with at least the following marks:

- KOMO word mark or logo ;
- certificate number;
- manufacturer's name or trade name;
- material designation;
- classification, for Ø 110 mm up to and including Ø 200 mm;
- nominal outside diameter in mm;
- production period or production code.

Marking with BRL 2023 is optional.

**APPLICATION AND USE**

The products are intended to be used in a plastic piping system for non-pressure underground drainage and sewerage.

Take into account the following installation guidelines:

- NEN 3215 "Drainage system inside and outside buildings – Determination methods for drainage capacity, water and air density and distance for roof mounted outlets";
- NTR 3216 "Sewerage inside dwellings – Guide for design and construction",
- the processing guidelines of the producer

**PROCESSING GUIDELINES**

The supplier shall provide processing instructions.

The instructions drawn up in the Dutch language shall contain specific information with regard to storage, transport and installation of the products.

**TIPS FOR THE USER**

Check on delivery of the products listed under the "technical specification" whether:

- The product(s) and material(s) ordered are delivered in accordance with the agreement you made.
- The brand and the method of marking is correct
- No defects or damage is visible (for example, resulting from the transportation).
- 

If on the basis of the foregoing you decide to proceed to rejection, please contact

- Dyka B.V.

And if necessary,

- Kiwa Nederland B.V.

**DOCUMENT LIST**



### 3 layer PVC pipes for sewerage inside buildings

---

NEN 3215: 2014 Drainage system inside and outside buildings – Determination methods for drainage capacity, water and air density and distance for roof mounted outlets

NTR 3216: 2012 Sewerage inside dwellings – Guide for design and construction

\* For the right version of the mentioned documents, see the last correction page of the BRL.

