

## Product certificate K12557/08

Issued 2021-08-01  
Replaces K12557/07  
Page 1 of 3

### Single taps and combination taps

#### STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

### Grohe AG

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K652 "Sanitary tapware; Single taps and combination taps" dated 10-10-2018,

which covers the requirements of

**EN 200: 2008:** "Sanitary tapware – Single taps and combination taps (PN10)".



Ron Scheepers  
Kiwa

*Publication of this certificate is allowed.*

*Advice: consult [www.kiwa.nl](http://www.kiwa.nl) in order to ensure that this certificate is still valid.*

**Kiwa Nederland B.V.**  
Sir Winston Churchillaan 273  
Postbus 70  
2280 AB RIJSWIJK  
The Netherlands  
Tel. +31 88 998 44 00  
Fax +31 88 998 44 20  
[info@kiwa.nl](mailto:info@kiwa.nl)  
[www.kiwa.nl](http://www.kiwa.nl)

**Company**  
Grohe AG  
Industriepark Edelburg  
58675 HEMER  
Germany  
Tel. +49 (0)2372 930  
[info@grohe.com](mailto:info@grohe.com)  
[www.grohe.com](http://www.grohe.com)

Certification process  
consists of initial and  
regular assessment of:

- quality system
- product

## Single taps and combination taps

## Technical specification

The products mentioned below belong to this certificate;

20.008.xxx	basin mixer, 3-hole horizontal	26.319.001	Costa S, shower mixer, 120 mm
20.009.xxx	basin mixer, 3-hole horizontal, J-handles	26.781.001	Costa L, basin mixer with diverter (120mm)
20.021.xxx	Atrio, pillar tap	26.788.001	Costa S, basin mixer with diverter (120mm)
20.152.000	Ondus, basin mixer, with body 29.025	26.782.001	Costa L, basin mixer with diverter (120mm)
20.152.BS0	Ondus, basin mixer, with body 29.025	30.098.001	Costa L, single tap (wall)
20.152.KS0	Ondus, basin mixer, with body 29.025	30.362.000	Atrio, sink mixer
20.152.LS0	Ondus, basin mixer, with body 29.025	30.484.001	Costa L, single tap (wall)
20.164.xxx	Atrio (Y), basin mixer, with body 32.706	31.182.001	Costa L, sink mixer (wall mounted)
20.169.xxx	Atrio (J), basin mixer, with body 32.706	31.186.001	Costa L, sink mixer (wall mounted)
20.181.000	Veris, basin mixer, with body 29.025	31.187.001	Costa L, sink mixer (wall mounted)
20.189.000	Allure, basin mixer, with body 29.025	31.191.001	Costa L, sink mixer (wall mounted)
20.190.000	Allure, basin mixer, with body 32.706	31.195.001	Costa S, sink mixer (wall mounted)
20.192.000	Allure, basin mixer, with body 32.706	31.764.001	Costa L, kitchen mixer
20.193.000	Allure, basin mixer, with body 29.025	31.774.001	Costa S, kitchen mixer
20.195.000	Veris, basin mixer, with body 29.025	31.812.001	Costa L, kitchen mixer
20.208.002	Eurostyle cosmopolitan, 3-hole mixer	31.819.001	Costa S, kitchen mixer
20.214.002	Eurodisc cosmopolitan, 3-hole basin mixer	31.831.001	Costa L, kitchen mixer
20.216.001	Concetto, 3-hole basin mixer	32.207.001	Concetto, pillar tap
20.301.003	Plus, wash basin mixer		
20.304.001	Lineare, 3-hole basin mixer		
20.421.000	BauEdge, pillar tap		
20.421.001	BauEdge Pillar Tap		
20.422.000	BauLoop, pillar tap		
20.422.001	BauLoop Pillar Tap		
20.575.000	BauFlow, pillar tap		
20.576.000	StartCurve, pillar tap		
20.577.000	StartFlow, pillar tap		
20.598.001	StartLoop Pillar Tap		
21.019.xxx	Atrio, basin mixer L-size, Y handles		
21.022.xxx	Atrio, basin mixer L-size, J handles		
21.044.xxx	Atrio, basin mixer		
21.100.001	Costa L, wash basin mixer		
21.255.001	Costa S, wash basin mixer		
21.257.001	Costa S, wash basin mixer		
21.337.001	Costa L, wash basin mixer		
21.338.001	Costa S, wash basin mixer		
21.342.001	Costa L, wash basin mixer		
21.390.001	Costa L, wash basin mixer		
21.374.001	Costa L, wash basin mixer		
21.375.001	Costa L, wash basin mixer		
23.039.002	Eurostyle cosmopolitan, pillar tap		
23.051.002	Eurodisc cosmopolitan, pillar tap		
24.027.xxx	Atrio, bidet mixer		
25.010.xxx	Atrio, bath/shower mixer		
25.450.001	Costa L, bath/shower mixer		
25.453.001	Costa L, bath/shower mixer		
25.483.001	Costa S, bath/shower mixer		
25.485.001	Costa S, bath/shower mixer		
26.003.xxx	Atrio, shower mixer		
26.010.001	Costa L, single tap		
26.009.001	Costa L, shower mixer		
26.308.001	Costa L, shower mixer		
26.317.001	Costa S, shower mixer		
26.318.001	Costa S, shower mixer		
26.330.001	Costa L, shower mixer		
26.345.001	Costa L, shower mixer, 120 mm		

## Sanitary stop valves

12.409.000	G $\frac{3}{4}$ x G $\frac{3}{4}$ A
12.410.000	G 1 x G 1A
22.917.000	G $\frac{1}{2}$ x G $\frac{3}{8}$ key operated
26.100.000	G $\frac{1}{2}$ x G $\frac{3}{4}$ Atlanta
26.284.001	G $\frac{1}{2}$ x G $\frac{3}{4}$
29.800.000	$\frac{1}{2}$ x $\frac{1}{2}$
29.801.000	15 mm x 15 mm
29.802.000	G $\frac{3}{4}$ x G $\frac{3}{4}$
29.804.000	22 mm x 22 mm
29.805.000	G 1 x G 1
35.028.000	Rapido C single
35.031.000	Rapido C triple

## Remark:

xxx	- the applied coating, can be:
003	- Chrome
AL3	- Brushed hard graphite
DC3	- Super steel

## Single taps and combination taps

---

### Remark

The specified products were not assessed for compliance with all aspects as inserted in the “drinkwaterbesluit” and outlined in the “Regeling materialen en chemicaliën drink- en warm tapwatervoorziening (implemented 19 July 2011)”.

### Application and use

The sanitary tapware; mechanical mixers are designed for application in drinking water installations with a working pressure from 50 kPa up to 1000 kPa and a maximum water temperature of 90°C. The recommended limits for correct operation are a working pressure of 100 kPa up to 500 kPa and a water temperature of maximum 65°C.

### Marking

The Kiwa®-mark products are marked with the wordmark “KIWA”.

Place of the mark: on the body.

Compulsory specifications:

- name or mark of the manufacturer: on the body;
- indication of the acoustic group, if classified: on the body;
- indication of the flow rate class, if classified: on the body.

Method of marking:

- non-erasable;
- visible after assembly.

### RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Grohe AG
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.