



Product certificate K13166/04

Issued 2021-08-15

Replaces K13166/03

Page 1 of 4

Single taps and combination taps

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Product Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Franke Water System AG, KWC

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with

Kiwa evaluation guideline BRL-K652, dated 18-10-2018, "Sanitary tapware; single taps and mixer taps",

which covers the requirements of

EN 200: 2008: "Sanitary tapware – Single taps and combination taps (PN10)".

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

CERTIFICATE

Kiwa Nederland B.V.
Sir Winston Churchillaan 273
P.O. Box 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl
www.kiwa.nl

Company
Franke Water Systems AG, KWC
Hauptstraße 57
5726 UNTERKULM
Switzerland
Tel. +41 627 686 396
Fax +41 627 686 162



Certification process
consists of initial and
regular assessment of:

- quality system
- product

Single taps and combination taps

PRODUCT SPECIFICATION

The products mentioned below belong to this certificate.

Series Gastro

K.24.42.41	Kitchen mixer, swivel spout
K.24.42.42	Kitchen mixer, swivel spout
K.24.42.43	Kitchen mixer, swivel spout
K.24.42.E1	Kitchen mixer, swivel spout
K.24.42.E2	Kitchen mixer, swivel spout
K.24.42.E3	Kitchen mixer, swivel spout
K.24.42.11	Kitchen mixer, swivel spout
K.24.42.12	Kitchen mixer, swivel spout
K.24.42.21	Kitchen mixer, swivel spout
K.24.42.22	Kitchen mixer, swivel spout
K.24.42.24	Kitchen mixer, swivel spout
K.24.42.17	Kitchen mixer
K.24.42.18	Kitchen mixer
K.24.42.19	Kitchen mixer
K.24.42.00	Kitchen mixer
K.24.42.K1	Kitchen mixer, swivel spout
K.24.42.K3	Kitchen mixer, swivel spout
K.24.42.K5	Kitchen mixer, swivel spout
K.24.41.00	Kitchen mixer
K.24.41.04	Kitchen mixer, swivel spout
K.24.41.05	Kitchen mixer, swivel spout
K.24.41.06	Kitchen mixer, swivel spout
K.24.41.A2	Kitchen mixer, swivel spout
K.24.41.20	Kitchen mixer, swivel spout
K.24.41.21	Kitchen mixer, swivel spout
K.24.41.22	Kitchen mixer, swivel spout
K.24.21.24	Kitchen mixer, swivel spout
K.24.41.32	Kitchen mixer, swivel spout
K.24.41.34	Kitchen mixer, swivel spout
K.24.40.60	Kitchen mixer, with pre-rinse spray
K.24.40.70	Kitchen mixer, with pre-rinse spray
K.24.42.64	Kitchen mixer, with pre-rinse spray and swivel spout
K.24.42.74	Kitchen mixer, with pre-rinse spray and swivel spout
K.24.42.61	Kitchen mixer, with pre-rinse spray and swivel spout
K.24.42.62	Kitchen mixer, with pre-rinse spray
K.24.42.70	Kitchen mixer, with pre-rinse spray
K.24.41.60	Kitchen mixer, with pre-rinse spray
K.24.61.61	Kitchen mixer, with pre-rinse spray and swivel spout

Series AVA

27.190.050	concealed shut-off valve $\frac{3}{4}$ ", with body K.38.H3.70 or K.38.93.00.
------------	---

Series ZOE

12.203.151	Basin mixer, with pop-up
12.203.161	Basin mixer, with pop-up

Series PIANA

12.363.191	Basin mixer, three hole, with pop-up
12.363.201	Basin mixer, three hole

Single taps and combination taps

PRODUCT SPECIFICATION

The products mentioned below belong to this certificate.

Series STAR

K.10.41.03	Kitchen mixer
K.12.41.11	Kitchen mixer
K.12.41.21	Kitchen mixer, pull-out spray
K.10.41.22	Kitchen mixer
K.10.41.23	Kitchen mixer

Single taps and combination taps

REMARK

The above listed products were not yet assessed for compliance with all Hygienic Aspects as stated in the Dutch Drinking Water Decree and as outlined in the “Regeling materialen en chemicaliën drink- en warm tapwatervoorziening” (“Regulation on materials and chemicals in drinking water and warm tap water supply), implemented on 1 July 2017, as specified in clause 4.2 of the Kiwa Evaluation guideline BRL-K652.

APPLICATION AND USE

The single tap and mixer taps are designed for application within following limits of use:

- a working pressure from 50 kPa up to 1000 kPa;
- a water temperature of maximum 90°C.

The recommended limits for correct operation are:

- working pressure of 100 kPa up to 500 kPa;
- water temperature of maximum 65°C.

MARKING

The Kiwa®-mark products are marked with the wordmark “KIWA” and KK in a rectangle.

Place of the mark:

- Kiwa on the body;
- KK in a rectangle on the head part.

Compulsory specifications:

- name or mark of the manufacturer KWC/Franke: on the body;
- indication of the acoustic group, if classified: on the body;
- indication of the flow rate class, if classified: on the body.

Method of marking:

- non-erasable;
- visible after assembly

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Franke Water System AG, KWC
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.