

KOMO[®]

product certificate

Number	K23004/04	Replaces	K23004/03
Issued	15-11-2015	Dated	15-09-2013
Valid until	Indefinite	Page	1 of 2


Rubber sealing rings for covers of manholes and gullies

Rala GmbH & Co. KG

STATEMENT BY KIWA

This product certificate is issued on the basis of BRL 9203 "Covers for manholes and gullies" issued on 6 December 2011 by Kiwa, in accordance with the Kiwa Regulations for Product Certification.

Kiwa declares that legitimate confidence exists that the by the producer manufactured Rubber sealing rings for covers of manholes and gullies comply with the technical specifications as laid down in this product certificate, provided that Rubber sealing rings for covers of manholes and gullies have been marked with the KOMO[®]-mark in the manner as indicated in this product certificate.



Bouke Meekma
Kiwa

The certificate is listed in the overview on the website of Stichting KOMO: www.komo.nl.
Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

Holder of Certificate
Rala GmbH & Co. KG
Maudacher Straße 109
67065 LUDWIGSHAFEN
Germany

T +49 (0)621 / 57 01-0
F +49 (0)621 / 57 01-222
E info@rala.de
I www.rala.de

Kiwa Nederland B.V.
Sir Winston Churchilllaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands

Tel. +31 70 414 44 00
Fax +31 70 414 44 20
info@kiwa.nl
www.kiwa.nl






Evaluated is:
quality system
product
Periodic inspection

Rubber sealing rings for covers of manholes and gullies

PRODUCT SPECIFICATION

The products as specified in the table below fulfil the requirements of BRL 92 03 "Covers for manholes and gullies", article 2.3.6.

Technical SPECIFICATION OF THE PRODUCT

Rubber Compound:		CR / SBR H880125			
Hardness:		70 Shore A			
	Seal type	Dichtring L-Profil (Rala # 30746636)		Seal type	Dichtung C-Profil (Rala # 30859676)
	Nominal Dimensions	Ø 513 mm		Nominal Dimensions	Ø 584 mm
	Height	13,5 mm		Height	34,5 mm
	Width	5 – 15 mm		Width	5 – 11 mm
	Seal type	Dichtring LW700 (Rala # 30849899)		Seal type	
	Nominal Dimensions	Ø 700 mm		Nominal Dimensions	mm
	Height	20,0 mm		Height	mm
	Width	8 – 10 mm		Width	mm

Details of the products are included in the drawing list, which forms a part of the IQC schedule.

Kiwa authenticates this list. A copy of this list can be obtained from the producer.

MARKING

The following marks and indications must be provided on each product and product packaging in a clear, legible and indelible way:

- KOMO[®]-trademark and certificate number;
- name of manufacturer or the deposited trade mark;
- nominal hardness
- nominal dimension or dimensions;
- production date or -code;
- type of rubber applied by means of the letter codes of the nomenclature according to ISO 1629;
- products from blends, the letter B ("blend") shall be placed behind the first letter code;

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Rala GmbH & Co. KG
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.

CONSTRUCTION PRODUCTS REGULATIONS

If a construction product is subject to a European harmonised technical specification, the statements in this KOMO product certificate must not be used as a replacement for the CE marking on such construction product and/or for the associated obligatory Declaration of Performance.