



Product certificate K24124/06

Issued 2020-07-01

Replaces K24124/05

Page 1 of 5

Mechanical mixers

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

KEUCO GmbH & Co. KG

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K607 "Sanitary tapware; mechanical mixers" dated 10-10-2018,

which covers the requirements of

EN 817: 2008: "Sanitary tapware – Mechanical mixers (PN10)".

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

CERTIFICATE

289171015

Kiwa Nederland B.V.

Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl
www.kiwa.nl

Company

KEUCO GmbH & Co. KG
Oesestraße 36
D-58675 HEMER
Germany
Tel. +49 237 290 4232
info@keuco.de
www.keuco.com

Certification process
consists of initial and
regular assessment of:

- quality system
- product

Mechanical mixers

Technical specification

The products mentioned below belong to this certificate.

Serie "Plan"

54902 xxyzz

Basin mixer

Serie "Plan Blue"

53902 xxyzz

Basin mixer

xx = finish/coating

yy = with/without pop-up

zz = height

Serie "IXMO"

59552 xxyzz + 59552 000170

Finishing set + Concealed body, shower mixer with hose connection

A combination of the following items can be made e.g.:

Mechanical mixer

59551 xxyzz + 59551 000070

Finishing set + Concealed body, one handle mixer

2-way diverter

59556 xxyzz + 59556 000070

Finishing set + Concealed body for diverter

2-way diverter with hose connection

59556 xxyzz + 59556 000170

Finishing set + Concealed body for diverter

3-way diverter

59548 xxyzz + 59548 000070

Finishing set + Concealed body for diverter

3-way diverter with hose connection

59548 xxyzz + 59548 000170

Finishing set + Concealed body for diverter

59547 xxyzz

Hose connection with shower holder

59592 xxyzz

Hose connection without shower holder

Bath spout 152/202 mm

59545 xxyzz + 59547 000170

Spout + concealed body

Handel variations:

59551 014901, 59551 013901, 59551
012701, 59551 011601, 59551 011501,
59551 013001, 59551 011102, 59551
019001

Codes:

xx = finish / surface

yy = handel variation

zz = rosette design

59516 xxyzz

59916 000075

59916 000072

Concealed single lever basin mixer trim set

Concealed body for matching trim sets

Extension set

Codes:

xx = finish/coating

yy = projection, 01 = 187 mm,

11 = 219 mm, 21 = 265 mm

zz = rosette design

Mechanical mixers

Serie "Plan S"

52902 xxyy00	Basin mixer, 150
52902 xx2102	Basin mixer, 150 no rosette
52904 xxyy00	Basin mixer, 100
52909 xxyyzz	Bidet mixer
59916 000075	Concealed body
52916 xx0000	Basin mixer, wall mounted, length 152 mm
52916 xx0101	Basin mixer, wall mounted, length 198 mm
59916 000072	Extension set
52920 xxyyzz	Bath/shower mixer
52924 xxyyzz	Shower mixer
52945 xxyyzz	Bath spout

Serie "Edition 400"

51502 xxyy00	Basin mixer 150
51502 xxyy02	Basin mixer 240
51502 xxyy03	Basin mixer 290
51504 xxyy00	Basin mixer 80
51504 xxyy02	Basin mixer 120
51505 xxyy00	Basin mixer 150, with swivel spout
51515 xxyy00	3-hole basin mixer 150
51516 xx0201	Concealed basin mixer trim set 187 mm
51516 xx0200	Concealed basin mixer trim set 219 mm
51516 xx0202	Concealed basin mixer trim set 265 mm
59916 000070	Concealed body for matching trim sets

Codes:

xx = finish/coating
01 = chrome plated
02 = polished bronze
03 = brushed bronze
04 = polished nickel
05 = brushed nickel
07 = stainless steel finish
12 = polished black chrome
13 = brushed black chrome
17 = aluminium finish
yy = with/without pop-up waste
00 = with pop-up
01 = without pop-up
zz = height/projection

Serie "Edition 11"

51102 xxyy00	Basin mixer 150
51102 xxyy03	Basin mixer 250
51104 xxyy00	Basin mixer 110
51115 xxyy00	3-hole basin mixer 150
51116 xx0201	Concealed basin mixer trim set, projection 187 mm
51116 xx0200	Concealed basin mixer trim set, projection 219 mm
51116 xx0202	Concealed basin mixer trim set, projection 265 mm
59916 000070	Concealed body for matching trim sets

Mechanical mixers

Serie "Edition 90"

59002 xxyy00	Wash basin mixer, 150 mm
59002 xxyy03	Wash basin mixer, 250 mm
59004 xxyy00	Wash basin mixer, 110 mm
59015 xxyy00	3-Hole wash basin mixer, 150 mm
59016 xx0201	Concealed wall mounted wash basin mixer, 187 mm spout – finish set
59016 xx0200	Concealed wall mounted wash basin mixer, 219 mm spout – finish set
59016 xx0202	Concealed wall mounted wash basin mixer, 265 mm spout – finish set
59916 000070	Concealed wall mounted wash basin mixer, body

A combination of the following items can be made e.g.:

Mechanical mixer

59551 xxyyzz + 59551 000070 Finishing set + Concealed body, one handle mixer

2-way diverter

59056 xx0001 + 59556 000070 Finishing set + Concealed body for diverter

3-way diverter

59048 xx0001 + 59548 000070 Finishing set + Concealed body for diverter

59045 xx0000

Bath spout 152 mm

59045 xx0001

Bath spout 201 mm

59088 xx0301

Shower arm 319 mm, wall mounting

59088 xx0401

Shower arm 469 mm, wall mounting

59089 xx0101

Shower arm 110 mm, ceiling mounting

59089 xx0301

Shower arm 310 mm, ceiling mounting

59092 xx0001

Hose connection with shower holder

59047 xx0001

Hose connection without shower holder

Code:

xx = Finish/coating

yy = with/without pop-up

00 = with pop-up / 01 = without pop-up

REMARK

The above listed products were not yet assessed for compliance with all Hygienic Aspects as stated in the Dutch Drinking Water Decree and as outlined in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" ("Regulation on materials and chemicals in drinking water and warm tap water supply), implemented on 19 July 2011, as specified in clause 4.3.1 of the Kiwa Evaluation guideline BRL-K607/04.

Mechanical mixers

Application and use

The mechanical mixers are designed for application within following limits of use:

- working pressure from 50 kPa up to 1000 kPa;
- water temperature of maximum 90°C.

The recommended limits for correct operation are:

- working pressure of 100 kPa up to 500 kPa;
- water temperature of maximum 65°C.

Marking

The Kiwa®-mark products are marked with the wordmark "KIWA".

Place of the mark:

- on the body.

Compulsory specifications:

- name or mark of the manufacturer: on the body;
- indication of the acoustic group, on the body;
- indication of the flow rate class, on the body.

Method of marking:

- non-erasable;
- visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- KEUCO GmbH & Co. KG
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.