



## Product certificate K24125/05

Issued 2020-07-01

Replaces K24125/04

Page 1 of 3

### Single taps and combination taps

#### STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

### KEUCO GmbH & Co. KG

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K652 "Sanitary tapware; Single taps and mixer taps" dated 10-10-2018,

which covers the requirements of

EN 200: 2008: "Sanitary tapware – Single taps and mixer taps (PN10) – General technical specifications".

Ron Scheepers  
Kiwa

*Publication of this certificate is allowed.*

*Advice: consult [www.kiwa.nl](http://www.kiwa.nl) in order to ensure that this certificate is still valid.*

# CERTIFICATE

28977015

#### Kiwa Nederland B.V.

Sir Winston Churchillaan 273  
Postbus 70  
2280 AB RIJSWIJK  
The Netherlands  
Tel. +31 88 998 44 00  
Fax +31 88 998 44 20  
info@kiwa.nl  
[www.kiwa.nl](http://www.kiwa.nl)

#### Company

KEUCO GmbH & Co. KG  
Oesestraße 36  
D-58675 HEMER  
Germany  
Tel. +49 237 290 4232  
info@keuco.de  
[www.keuco.com](http://www.keuco.com)

Certification process  
consists of initial and  
regular assessment of:

- quality system
- product



## Single taps and combination taps

**Technical specification**

The products mentioned below belong to this certificate.

Type / Article number	Design
<b>Serie "IXMO"</b>	
3-way diverter with shut-off 59549 xxyyzz + 59548 000070	Finishing set + concealed body
59549 xxyyzz + 59548 000170	Finishing set + concealed body, with hose connection
2-way diverter with shut-off	
59557 xxyyzz + 59556 000070	Finishing set + concealed body
59557 xxyyzz + 59556 000170	Finishing set + concealed body, with hose connection
1-way shut-off valve	
59541 xxyyzz + 59541 000070	Finishing set + concealed body
59541 xxyyzz + 59541 000170	Finishing set + concealed body, with hose connection
<b>Serie "Edition 90"</b>	
3-way diverter with shut-off 59049 xx0001 + 59548 000070	Finishing set + concealed body
2-way diverter with shut-off	
59057 xx0001 + 59556 000070	Finishing set + concealed body
1-way shut-off valve	
59041 xx0001 + 59541 000070	Finishing set + concealed body
xx = finish / coating yy = handel variation zz = rosette design	
<b>Serie "Plan"</b>	
54908 xxyyzz	Pillar tap
<b>Serie "Plan S"</b>	
52908 xxyyzz	Pillar tap
<b>Serie "Edition 400"</b>	
51508 xxyyzz	Pillar tap

xx = finish / coating  
yy = with/without pop-up  
00 = with pop-up / 01 = without pop-up  
zz = height/projection

## Codes:

xx = finish/coating  
01 = chrome plated  
02 = polished bronze  
03 = brushed bronze  
04 = polished nickel  
05 = brushed nickel  
07 = stainless steel finish  
12 = polished black chrome  
13 = brushed black chrome  
17 = aluminium finish

## Single taps and combination taps

---

### REMARK

The above listed products were not yet assessed for compliance with all Hygienic Aspects as stated in the Dutch Drinking Water Decree and as outlined in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" ("Regulation on materials and chemicals in drinking water and warm tap water supply), implemented on 19 July 2011.

### Application and use

The mechanical mixers are designed for application within following limits of use:

- working pressure from 50 kPa up to 1000 kPa;
- water temperature of maximum 90°C.

The recommended limits for correct operation are:

- working pressure of 100 kPa up to 500 kPa;
- water temperature of maximum 65°C.

### Marking

The Kiwa®-mark products are marked with the wordmark "KIWA".

Place of the mark:

- on the body.

Compulsory specifications:

- name or mark of the manufacturer: on the body;
- indication of the acoustic group, on the body;
- indication of the flow rate class, on the body.

Method of marking:

- non-erasable;
- visible after assembly.

### RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- KEUCO GmbH & Co. KG
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.