



Product certificate K44634/05

Issued 2018-03-01

Replaces K44634/04

Page 1 of 3

Close coupled suites

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Product Certification, Kiwa declares that legitimate confidence exists that the products supplied by

HUIDA SANITARY WARE CO. LTD.

as specified in this product certificate and marked with the Kiwa[®]-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with

Kiwa evaluation guideline BRL-621/06 "Close coupled suites" dated 01-02-2012

which covers the requirements of

EN 997: 2003 "WC-pans and WC suites with integral trap".

Luc Leroy
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

CERTIFICATE

28/170315

Kiwa Nederland B.V.
Sir Winston Churchilllaan 273
P.O Box 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl
www.kiwa.nl

Company
Huida Sanitary Ware Co. Ltd.
No. 7 Huida Rd. , Huanggezhuang Town,
Fengnan District Tangshan City
063307 HEBEI
People's Republic of China
Telephone (+86) 0315 852 3618
Telefax (+86) 0315 852 2827
Internet: www.huidagroup.com

Certification process
consists of initial and
regular assessment of:

- quality system
- product

Close coupled suites

Product specification

The products mentioned below belong to this technical approval-with-product certificate

Close coupled suites using a flush volume of 6 ± 0.2 litres

1. **Model C201C** consisting of:

wash-down WC-pan with concealed vertical outlet (USV 225), flushing cistern S201B with bottom inlet connection; with inner mechanism:

- float operated valve Geberit type Impuls 360 (FORS);
- flush mechanism Geberit type TWICO II. with dual flush operation.

2. **Model C284C** consisting of:

wash-down WC-pan with concealed vertical outlet (USV 225), flushing cistern S284B with bottom inlet connection; with inner mechanism:

- float operated Huida no. E2004-001;
 - flush mechanism Huida no. P2232 with dual flush operation.
- Also supplied under the brand code no. 619121.

3. **Model C270C** consisting of:

wash-down WC-pan with concealed vertical outlet (USV 225), flushing cistern HDS270 with bottom inlet connection; with inner mechanism:

- float operated Huida no. E2004;
- flush mechanism Huida no. P2232 with dual flush operation.

4. **Model C284P** consisting of:

wash-down WC-pan with exposed vertical outlet (UP), flushing cistern S284B with bottom inlet connection; with inner mechanism:

- float operated Huida no. E2004-001;
 - flush mechanism Huida no. P2232 with dual flush operation.
- Also supplied under the brand code no. 619122.

5. **Model HDC15A** consisting of:

wash-down WC-pan with concealed vertical outlet (USV 225), flushing cistern HDS15 with bottom inlet connection; with inner mechanism:

- float operated Huida no. E2004;
- flush mechanism Huida no. P2212 with dual flush operation.

6. **Model HDC201NC** consisting of:

wash-down WC-pan with concealed vertical outlet (USV 225), flushing cistern HDS201D with bottom inlet connection; with inner mechanism:

- float operated Huida no. E2004;
- flush mechanism Huida no. P2212 with dual flush operation.

Note

The above mentioned product(s) are also approved according to EN997:2012 + A1: 2015 for a nominal flush of 6 litres.

Close coupled suites

Application and use

The WC-pans delivered under this certificate in combination with flushing cisterns and/or pressure flush valves are intended for use as sanitary appliances, connected to drinking water installations with a water temperature of 30 °C maximum.

Marking

The Kiwa®-mark products are marked with the wordmark "KIWA". The WC pan, cistern and float operated valve of the close coupled suites are marked with the wordmark "KIWA". On the WC-pan this wordmark shall be followed by the number 6, 7.5 or 9, indicating the flushing volume.

Example:

Close coupled suite marked as follows:

WC-pan: "KIWA-6"

Cistern: "KIWA"

Float valve: "KIWA"

By this marking it is given that the close coupled suite is Kiwa certified and intended for use with a full flush of 6 ± 0.2 litres. This flushing volume is indicated by the highest waterline in the cistern.

Place of the mark:

- on the WC-pans between the attachment holes of the lavatory seat or on the sides;
- on the float valves on the body;
- on the cisterns on the left side, right side or front or on the inside above water level.

Compulsory specifications:

name or mark of the manufacturer

- on the WC-pans between the attachment holes of the lavatory seat or on the sides;
- on the float valves on the body;
- on the cisterns on the left side, right side or front or on the inside above water level.
- reference to the European standard EN997

Method of marking:

- Non-erasable;
- visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- HUIDA SANITARY WARE CO. LTD.

and, if necessary,

- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.