



Product certificate K55368/13

Issued 2021-07-01

Replaces K55368/12

Page 1 of 3

Sanitary tapware; single taps and combination taps

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

IKEA of Sweden AB

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K652 "Sanitary tapware; single taps and mixer taps" dated 10-10-2018,

which covers the requirements of

NEN-EN200:2008: "Sanitary tapware – Single taps and combination taps for water supply systems of type 1 and type 2 - General technical specification.

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

CERTIFICATE

28917015

Kiwa Nederland B.V.

Sir Winston Churchillaan 273

Postbus 70

2280 AB RIJSWIJK

The Netherlands

Tel. +31 88 998 44 00

Fax +31 88 998 44 20

info@kiwa.nl

www.kiwa.nl

Company

IKEA of Sweden AB

Box 702

34381 ÄLMHULT

Sweden

Tel. +476587238

www.ikea.com



Certification process
consists of initial and
regular assessment of:

- quality system
- product

Sanitary tapware; single taps and combination taps

Technical specification

The products mentioned below belong to this certificate:

Name	Article Number	Design	Supplier no.	Aerator	Acoustic group	Hydraulic class
APELSKÄR ¹	401-017-90	lavatory mixer	20470	40.2056.000	I	water saving
APELSKÄR	802-281-36	lavatory mixer	20470	40.2056.000	I	water saving
HAVSJÖN	104-835-78	pillar tap	22399	43.2256.450	-	water saving
	104-879-44	pillar tap AP	22399	43.2256.450	-	water saving
	604-879-46	pillar tap GB IN	22399	43.2256.450 & 01.5180.0.0001	-	water saving & flow straightener
	704-779-99	bib tap	22399	43.2256.450	-	water saving
	504-879-37	bib tap AP	22399	43.2256.450	-	water saving
	104-879-39	bib tap GB IN	22399	43.2256.450 & 01.5180.0.0001	-	water saving & flow straightener
KATTSKÄR	401-350-35	lavatory mixer	20470	44.3256.010	I	water saving
KALLSJÖN	304-753-89	pillar tap	22399	40.2056.00002		water saving
	604-863-53	pillar tap AP	22399	40.2056.00002		water saving
	904-863-56	pillar tap GB IN	22399	40.2056.000 & 40.3030.00001		water saving & flow straightener
EDSVIK	000-318-41	kitchen mixer	20694 / 22399	40.1054.000	I	water saving
	800-318-42	kitchen mixer	22399	40.1054.000 & 40.3030.000	I	water saving & flow straightener
EDSVIK NN	104-796-18	kitchen mixer	22399	40.1054.000	I	water saving
EDSVIK N	803-874-27	kitchen mixer IN	22399	40.1054.00001 & 02.4051.0	-	water saving & flow straightener
LOVIKEN	800-507-60	kitchen mixer	20694	40.1054.000	I	water saving
LOVIKEN BLACK	000-507-59	kitchen mixer	20694	40.1054.000	I	water saving
RUNSKÄR	502-621-22	basin mixer	22399	40.1052.000	I	water saving
	602-621-26	basin mixer	22399	40.1052.000 & 40.330.000	I	water saving & flow straightener
	703.907.60	basin mixer IN	22399	40.1056.000 & 02.4051.0	-	water saving & flow straightener
	004-957-32	basin mixer	22399	40.1052.000		water saving
	104-957-36	basin mixer GB IN	22399	40.1056.0.0001 & 02.4051.0		water saving
GAMLESJÖN	203-416-73	kitchen mixer	21994	43.2254.450	II	water saving
GAMLESJÖN	503-416-76	kitchen mixer	21994	43.2254.450	II	A
GAMLESJÖN	303-416-77	kitchen mixer	21994	43.2254.450 & 43.3230.450	II	water saving & V

¹ - Model with copper connection pipes

FITNESS FOR CONTACT WITH DRINKING WATER

The listed products are approved on the basis of the requirements for hygienic aspects set in the "Regeling materialen en chemicaliën drink-en warm tapwatervoorziening" ("Materials and chemicals in the supply of drinking water and warm tap water Regulation" dated 01-07-2017; published in the Government Gazette).

These hygienic aspects are based on two main criteria. The products shall permanently comply with:

- The product recipe approved during the assessment procedure. This recipe is not to be changed without prior approval by Kiwa according to the Kiwa approval procedure for the hygienic aspects;
- Specific product requirements for the hygienic aspects.

The recipe and specific product requirements are laid down in the for confidentiality reasons undisclosed 'Appendix Hygienic Aspects' to this certificate.

Sanitary tapware; single taps and combination taps

APPLICATION AND USE

The single taps and combination taps are designed for application within the following limits of use:

- working pressure from 50 kPa up to 1000 kPa;
- water temperature of maximum 90 °C.

The recommended limits for correct operation are:

- working pressure of 100 kPa up to 500 kPa;
- water temperature of maximum 65 °C.

MARKING

The Kiwa®-mark products are marked with the word mark "KIWA" together with the Watermark logo  or the abbreviated word mark 

Place of the mark: on the body.

Compulsory specifications:

- name or mark of manufacturer, on the body;
- indication of temperature, on the control devices;
- identification of the acoustic group, if classified, on the body;
- identification of the flow resistance class, on the body.

Method of marking:

- non-erasable;
- visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- IKEA of Sweden AB
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.