



## Product certificate K61647/04

Issued 2018-07-01

Replaces K61647/03

Page 1 of 3

### Bib-taps with integrated vacuum breaker, with or without an insert check valve

#### STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

### BONFIX B.V.

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K644/03 "Bib-taps with integrated vacuum breaker, with or without an insert check valve" dated 01-02-2012.

Luc Leroy  
Kiwa

*Publication of this certificate is allowed.*

*Advice: consult [www.kiwa.nl](http://www.kiwa.nl) in order to ensure that this certificate is still valid.*

CERTIFICATE

28171015

#### Kiwa Nederland B.V.

Sir Winston Churchillaan 273  
P.O. Box 70  
2280 AB RIJSWIJK  
The Netherlands  
Tel. +31 88 998 44 00  
Fax +31 88 998 44 20  
info@kiwa.nl  
[www.kiwa.nl](http://www.kiwa.nl)

#### Company

BONFIX B.V.  
Holsteinstraat 4  
8028 RT ZWOLLE  
Tel. 088 - 46 00 794  
info@bonfix.nl  
[www.bonfix.nl](http://www.bonfix.nl)

Certification process  
consists of initial and  
regular assessment of:

- quality system
- product



**Bib-taps with integrated vacuum breaker, with or without an insert check valve**

---

**Product specification**

The products mentioned below belong to this certificate;

| <b>Article no.</b> | <b>Description</b>  | <b>Safety device</b>  | <b>Drawing no.</b> |
|--------------------|---|---|--------------------|
| 90105              | Bib tap G1/2 crank lever operated, having a hose connection G3/4                  | Vacuum breaker  | 602109026          |
| 90110              | Bib tap G1/2 crank lever operated, having a hose connection G3/4, with back plate | Vacuum breaker  | 602109025          |
| 90406              | Bib tap G1/2 crank lever operated, having a hose connection G3/4                  | Vacuum breaker and insert check valve<br>Neoperl type OD13/DN10 | 602109023          |
| 90411              | Bib tap G1/2 crank lever operated, having a hose connection G3/4; with back plate | Vacuum breaker and insert check valve<br>Neoperl type OD13/DN10 | 602109024          |

**REMARK**

The specified products were not yet assessed for compliance with all Hygienic Aspects as inserted in the Dutch Drinking Water Decree and outlined in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" ("Regulation materials and chemicals drinking water and warm tap water supply), implemented 19 July 2011. As soon as the final assessment policy for the products has been specified, the products shall be tested in accordance with clause 4.3.1 of the evaluation guideline .

## Bib-taps with integrated vacuum breaker, with or without an insert check valve

---

### APPLICATION AND USE


The bib-taps with integrated vacuum breaker, with or without an insert check valve, are designed for drinking water installations with a maximum working pressure of 1000 kPa and a maximum water temperature of 90 °C.

The vacuum breaker and insert check valve are designed as safety devices for the prevention of contamination of the drinking water network.

### MARKING

The Kiwa®-mark products are marked with the wordmark "KIWA" and/or "KK".

Place of the mark:

- "KIWA", on the body;
-  on the headwork.

Compulsory specifications:

- name or mark of the manufacturer, on the body and on the headwork;
- DA, on the body;
- EB, on the body, for taps provided with a check valve.

Method of marking:

- non-erasable;
- visible after assembly.

### RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- BONFIX B.V.

and, if necessary,

- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.