



Product certificate K86710/06

Issued 2022-02-01

Replaces K86710/05

Page 1 of 3

Close coupled suites

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Product Certification, Kiwa declares that legitimate confidence exists that the products supplied by

R.A.K. Ceramics P.J.S.C.

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with

Kiwa evaluation guideline BRL K621 "Close coupled suites" dated 02-10-2019,

which covers the requirements of

EN997:2012 + A1: 2015 "WC-pans and WC suites with integral trap".

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

CERTIFICATE

28817015

Kiwa Nederland B.V.

Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl
www.kiwa.nl

Company

R.A.K. Ceramics P.J.S.C.
Al Jazeera Al Hamra
RAS AL KHAIMAH
United Arab Emirates
Tel. + 971 7 244 5046
info@rakceram.com
www.rakceramics.com

Certification process
consists of initial and
regular assessment of:

- quality system
- product



Close coupled suites

Technical specification

Close coupled suite with a nominal flush volume of 6 litres.

Close coupled suite **LIWA** water closet S-trap

Consisting of a wash down WC-pan no. LW03 with a vertical concealed outlet; Flushing cistern no. LW04 configured with:

- Geberit inlet valve Type 360
- Geberit outlet valve dual flush 260

Close coupled suite **Jumeirah** WC S-Trap 240 mm

Consisting of a wash down WC-pan no. JM13 with a vertical concealed outlet; Flushing cistern no. JM04 configured with:

- Geberit inlet valve Type 360
- Geberit outlet valve dual flush Type 260

Close coupled suite **Dareen / Origin** WC S-Trap

Consisting of a wash down WC-pan no. ORG03 with a vertical concealed outlet; Flushing cistern no. TQ10 configured with:

- Geberit inlet valve Type 360
- Geberit outlet valve dual flush Type 260

Close coupled suite **LIWA** water closet P-trap

Consisting of a wash down WC-pan no. LW08 with a horizontal exposed outlet; Flushing cistern no. LW04 configured with:

- Geberit inlet valve Type 360
- Geberit outlet valve dual flush 260

Close coupled suite **Venice**

Floor mounted WC-pan no. VN03 with a vertical concealed outlet; Flushing cistern no. VN10 configured with:

- Geberit inlet valve Type 360, bottom with brass connection end
- Geberit outlet valve dual flush Type 260

Close coupled suites

Application and use

Close coupled suites are designed as flushing devices to be connected to drinking water installations with a maximum water temperature of 30 °C.

Marking

The WC pan, cistern and float operated valve of the close coupled suites are marked with the word mark "KIWA".

On the WC-pan this word mark shall be followed by the number 6, indicating the flushing volume.

Example:

Close coupled suite marked as follows:

WC-pan: "KIWA-6"

Cistern: "KIWA"

Float valve: "KIWA"

By this marking it is given that the close coupled suite is Kiwa certified and intended for use with a full flush of 6 ± 0.2 litres.

This flushing volume is indicated by the highest waterline in the cistern.

Place of the mark:

- on the WC-pans between the attachment holes of the lavatory seat or on the sides;
- on the float valves on the body;
- on the cisterns on the left side, right side or front or on the inside above water level.

Compulsory specifications:

- name or mark of the manufacturer
 - on the WC-pans between the attachment holes of the lavatory seat or on the sides
 - on the float valves on the body
 - on the cisterns on the left side, right side or front or on the inside above water level
- reference to European Standard EN997

Method of marking:

- indelible;
- visible after assembly

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- R.A.K. Ceramics P.S.C.
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.