



## Product certificate K91871/05

Issued 2020-08-15

Replaces K91871/04

Page 1 of 3

### CRG® and CRG® S kitchen hoses

#### STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

### NEOPERL GmbH

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with

**Kiwa evaluation guideline BRL-K14026** "Extractable shower hoses for sanitary tapware" **dated 12-05-2017**,

which covers the requirements of

**EN16146:2014**: "Sanitary tapware - Extractable shower hoses for sanitary tapware for supply systems type 1 and type 2 – General technical specification..

Ron Scheepers  
Kiwa

*Publication of this certificate is allowed.*

*Advice: consult [www.kiwa.nl](http://www.kiwa.nl) in order to ensure that this certificate is still valid.*

CERTIFICATE

288171015

**Kiwa Nederland B.V.**  
Sir Winston Churchillaan 273  
Postbus 70  
2280 AB RIJSWIJK  
The Netherlands  
Tel. +31 88 998 44 00  
Fax +31 88 998 44 20  
info@kiwa.nl  
[www.kiwa.nl](http://www.kiwa.nl)

**Company**  
NEOPERL GmbH  
Klosterrunsstrasse 11  
79379 MÜLLHEIM/BADEN  
Duitsland  
Postfach 1262  
79372 MÜLLHEIM/BADEN  
Duitsland  
Tel. (+49) 7631-188-224

**Manufacturing sites**  
NEOPERL GmbH  
Klosterrunsstrasse 9-11  
79379 Müllheim  
Germany

Neoflex (Xinhui) Ltd.  
No. 3 Yanan Ind. Zone  
Yamen Town  
529149 Jiangmen  
Guangdong Province  
P.R. of China

Neoperl Bularia EOOD  
Pavel Atanasov Sv, 33  
09301 Dobric  
Bulgaria



**Certification process  
consists of initial and  
regular assessment of:**

- quality system
- product



## CRG® and CRG® S kitchen hoses

---

### Fitness for contact with drinking water

This product is approved on the basis of the requirements for hygienic aspects set in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" dated 01-07-2017 ("Materials and chemicals in the supply of drinking water and warm tap water Regulation"), published in the Government Gazette.

These hygienic aspects are based on two main criteria. The product shall permanently comply with:


- The product recipe approved during the assessment procedure. This recipe is not to be changed without prior approval by Kiwa according to the Kiwa approval procedure for the hygienic aspects;
- Specific product requirements for the hygienic aspects.

The recipe and specific product requirements are laid down in the for confidentiality reasons undisclosed 'appendix hygienic aspects' to this certificate.

### Application and use

The extractable shower hoses for sanitary tapware are intended to be used in drinking water applications with a maximum static pressure of 0,5 MPa and a maximum inlet temperature of 70 °C. The recommended limits are a pressure of 0,1 MPa to 0,3 MPa and a maximum temperature of 60 °C.

### Marking

The Kiwa®-mark products are marked with the word mark "KIWA ", or the abbreviated mark "KK".

Place of the mark: on each hose.

Compulsory specifications:

- Name or logo of the manufacturer;
- Date or production code;
- Type indication;
- Flow rate class.

Method of marking:

- Non-erasable;
- Visible after assembly.

### RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- NEOPERL GmbH  
and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.