

Product certificate
K93190/01

Issued 2016-10-18

Replaces

Page 1 of 3

Sanitary tapware – mechanical mixing valves

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Product Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Jaquar & Company Pvt. Ltd.

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with

Kiwa evaluation guideline BRL-K607 “sanitary tapware; Mechanical mixers”,
dated 01-02-2012

which covers the requirements of

EN 817: 2008 “Sanitary tapware – Mechanical mixers“



Luc Leroy
Kiwa

Publication of the certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

Kiwa Nederland B.V.

Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands

Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl
www.kiwa.nl



288/150609

Supplier

Jaquar & Company Pvt. Ltd.
SP-53 RIICO Industrial Area Bhiwadi
Rajasthan 301019
India
Tel. +91.1493.518608
Fax +91.1493.518615

Certification process consists of initial and regular assessment of:

- quality system
- product

Sanitary tapware – mechanical mixing valves

TECHNICAL SPECIFICATION

The products mentioned below belong to this certificate

Range	ALIVE	ALIVE	ARIA	ARIA	EKO
Model no.	ALI-85011B	ALI-85119	ARI-39001B	ARI-39119	EKO-33119
Design	basin deck mounted	bath/shower wall mounted	basin deck mounted	bath/shower wall mounted	bath/shower wall mounted
Acoustic class	IA	IB/IIC	IA	II S/B	IB/IIC
Variations	ALI-85051B		ARI-39023B ARI-39051B ARI-39052B	LYRIC LYR-38119	
Range	FONTE	FUSION	FUSION	KUBIX	LYRIC
Model no.	FON-40023B	FUS-29023B	FUS-29052B	KUB-35023FB	LYR-38051B
Design	basin deck mounted	basin deck mounted	basin deck mounted	basin deck mounted	basin deck mounted
Acoustic class	IA	IA	IA	IA	IB
Variations	FON-40052B			KUB-35052FB	LYR-38001B
Range	OPAL	ORNAMIX	VIGNETTE-P	VIGNETTE-P	
Model no.	OPP-15011BPM	ORP-10011BPM	VGP-81051B	VGP-81119	
Design	basin deck mounted	basin deck mounted	basin deck mounted	bath/shower wall mounted	
Acoustic class	IS	IS	IS	IB/IID	
Variations	OPP-15051BPM	ORP-10051BPM	VGP-81011B		

REMARK

The specified products were not yet assessed for compliance with all hygienic aspects as inserted in the “Drinkwaterbesluit” (Drinking Water Decree) and outlined in the “Regeling materialen en chemicaliën drink- en warm tapwatervoorziening” (Regulation for Materials and chemical in drinking and warm tap water supply), implemented 19 July 2011, as specified in clause 4.3.1 of the Kiwa guideline BRLK607/04.

Sanitary tapware – mechanical mixing valves

APPLICATION AND USE

The sanitary tapware; “mechanical mixers” are designed for the application in drinking water installations with a working pressure from 50 kPa up to 1000 kPa and a maximum water temperature of 90°C. The recommended limits for correct operation are a working pressure of 100 kPa up to 500 kPa and a water temperature of maximum 65°C.

MARKING

The Kiwa®-mark products are marked with the wordmark “KIWA” on the body

Compulsory specifications:

- name or mark of the manufacturer: on the body;
- indication of the acoustic group, if classified: on the body;
- indication of the flow rate class: on the body or on the handle.

Method of marking:

- Non-erasable;
- visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Jaquar & Company Pvt. Ltd.
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.