







K100640/02 Replaces

1 of 3 Page





# **Mechanical mixers**

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

# Caressi Holding Ltd.

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K607 "Sanitary tapware; mechanical mixers" dated 10-10-2018,

which covers the requirements of

EN 817:2008 Sanitary tapware - mechanical mixers (PN10).

Ronald Karel Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

#### Kiwa Nederland B.V.

Sir Winston Churchilllaan 273

2280 AB RIJSWIJK

Postbus 70

The Netherlands

Tel. +31 88 998 44 00

Fax +31 88 998 44 20

info@kiwa.nl

www.kiwa.nl

### Company

Caressi Holding Ltd.

208 Queens rd central, Sheung Wan

HONG KONG

China

Tel. 0314378316 info@caressi.nl

www.caressi.nl

**Certification process** consists of initial and regular assessment of:

- quality system
- product

# Product certificate

page 2 of 3

# Mechanical mixers

# **Technical specification**

| Article number | Design                                       | Aerator       | Acoustic group | Hydraulic class |
|----------------|--|---------------|----------------|-----------------|
| CA105I ECO     | Kitchen mixer, stainless steel               | 40.6005.0003  | _              |                 |
| CABL002 ECO    | Kitchen mixer, stainless steel               | 40.6005.0003  | -              | -               |
| CA106I ECO     | Kitchen mixer, stainless steel               | 40.6005.0003  |                | -               |
| CABL001 ECO    | ,  | 40.6005.0003  | -              | -               |
| CA116I ECO     | Kitchen mixer, stainless steel               | 40.6005.0003  | -              | -               |
|                | Kitchen mixer, stainless steel               |               | -              | -               |
| CA108I ECO     | Kitchen mixer, stainless steel               | 40.6005.0003  | -              | -               |
| CA107I ECO     | Kitchen mixer, stainless steel               | 40.6005.0003  | -              | -               |
| 0440501/500    | 129.1  | 10 0005 0000  |                |                 |
| CA105BK ECO    | Kitchen mixer, black                         | 40.6005.0003  | -              | -               |
| CA106BK ECO    | Kitchen mixer, black                         | 40.6005.0003  | -              | -               |
| CA116BK ECO    | Kitchen mixer, black                         | 40.6005.0003  | -              | -               |
| CA108BK ECO    | Kitchen mixer, black                         | 40.6005.0003  | -              | -               |
| CA106WH ECO    | Kitchen mixer, white                         | 40.6005.0003  | -              | -               |
| CA108WH ECO    | Kitchen mixer, white                         | 40.6005.0003  | -              | -               |
|                |  |               |                |                 |
| CA108CH ECO    | Kitchen mixer, chrome plated                 | 40.6005.0003  | -              | -               |
| CABL004CH      | Kitchen mixer, chrome plated                 | 44.3055.00002 | -              | -               |
| CABL005CH      | Kitchen mixer, chrome plated                 | 44.3055.00002 | -              | -               |
|                |  |               |                |                 |
| CA116IU ECO    | Kitchen mixer, stainless steel with pull-out | 40.6005.0003  | -              | -               |
| CA108IU ECO    | Kitchen mixer, stainless steel with pull-out | 40.6005.0003  | -              | -               |
| CA107IU ECO    | Kitchen mixer, stainless steel with pull-out | 40.6005.0003  | -              | -               |
|                |  |               |                |                 |
| CA108CHU ECO   | Kitchen mixer, chrome plated with pull-out   | 40.6005.0003  | -              | -               |
|                |  |               |                |                 |
| CA116BKU ECO   | Kitchen mixer, black with pull-out           | 40.6005.0003  | -              | -               |
| CA108BKU ECO   | Kitchen mixer, black with pull-out           | 40.6005.0003  | -              | -               |
| CA108WHU ECO   | Kitchen mixer, white with pull-out           | 40.6005.0003  | -              | -               |
|                |  |               |                |                 |

page 3 of 3

## Mechanical mixers

#### Remark

The specified products were not yet assessed for compliance with all hygienic aspects as inserted in the "Drinkwaterbesluit" (Drinking Water Decree) and outlined in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" (Regulation for Materials and chemical in drinking and warm tap water supply), implemented 19 July 2011, as specified in clause 4.2 of the Kiwa guideline BRL-K607.

### Application and use

The mechanical mixers are designed for application within following limits of use:

- working pressure from 50 kPa up to 1000 kPa;
- water temperature of maximum 90°C.

The recommended limits for correct operation are:

- working pressure of 100 kPa up to 500 kPa;
- water temperature of maximum 65°C.

#### Marking

The Kiwa®-mark products are marked with the wordmark "KIWA".

Place of the mark:

· Kiwa on the body.

Compulsory specifications:

- · name or mark of the manufacturer: on the body;
- indication of the acoustic group, if classified: on the body;
- indication of the flow rate class, if classified: on the body;
- · Indication for temperature selection.

### **RECOMMENDATIONS FOR CUSTOMERS**

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

· Caressi Holding Ltd.

and, if necessary,

Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.